

Options & Specifications

H3 isn't only the most capable off-road vehicle in its class, it also gives you a tremendous range of choice, with available H3 Alpha and H3X models, in addition to a series of individual options and packages.

[Exterior](#) | [Interior](#) | [Mechanical](#) | [Safety & Security](#) | [Seats](#) | [Entertainment](#) | [Specifications](#)

S = Standard O = Optional — = Not Available

Exterior

	H3
Cargo cover (standard on H3 Luxury and H3X)	O
Fog lights – halogen	S
Glass – Solar-Ray, tinted windshield and front door glass	S
Glass – deep-tinted behind front doors	S
Grille – chrome 7-slot (except H3X)	S
Grille – painted, body-colour (standard on H3X)	O
Headlights – dual composite, halogen with automatic light control	S
Mirrors – power adjustable, manual folding	S
Rearview Camera System – reverse assist for parking or trailer hookup (requires available Trailing Special Equipment Package on base H3)	O
Recovery hooks – two front, one rear	S
Roof rack – side rails	S
Sunroof – power, sliding with express-open and close feature	O
Tailgate – driver's side hinged swing gate with fixed glass rear window and spare tire carrier with full-size spare	S
Tires – 32" P265/75R16 all-terrain tires with full-size spare tire (except Adventure and H3X)	S
Tires – 33" LT285/75R16 On/Off-road tires with full-size spare tire (standard on Adventure Package)	O
Tires – 32" P265/65R18 On/Off-road tires with full-size spare tire (standard on H3X)	O
Underbody protection – includes skid plates for front steering/suspension, transfer case and fuel tank	S
Wheel flares – body-coloured	S
Wheels – 16" x 7.5" aluminum, thin spoke wheels (except Alpha)	S
Wheels – 16" x 7.5" aluminum, chrome thin spoke wheels (standard on Alpha)	O
Wheels – 18" x 7.5" chrome aluminum wheels (standard on H3X)	O
H3 Chrome Appearance Package – includes exterior door handles and mirror caps (not available on H3X)	O
H3X Package – includes features of the H3 Luxury and Chrome Appearance Package plus chrome tubular assist steps and chrome fuel filler door; also includes Handling/Trailing Package, a body-coloured grille and spare tire cover, P265/65R18 On/Off road tires on 18" x 7.5" chrome aluminum wheels, chrome brush guard and embroidered front seat head restraints	O
H3X Alpha Package – includes all the features of the H3X plus Vortec 5.3L V8 engine; also includes Alpha exterior badging, Alpha horn pad and embroidered front seat head restraints	O

Interior

	H3
Air conditioning – manual climate control	S
Assist handles – five	S
Cargo area – rubberized floor	S
Cargo area mat	S
Console – front floor, multi-use	S
Cruise control – electronic with set and resume speed	S
Defogger – electric, rear-window	S
Floor mats – carpeted, front and 2nd row	S
Instrumentation – full analogue cluster (includes speedometer, tachometer, engine coolant temperature, odometer, trip odometer, fuel gauge and Driver Information Centre)	S
Instrumentation – tire pressure monitoring system (except spare)	S
Lights – illuminated entry/exit with front dome, reading and cargo area light	S
Mirror – rear-view, auto-dimming with 8-point compass and exterior temperature displays	S
Power outlets – 3 12-volt auxiliary (2 front, 1 rear)	S
Steering column – tilt adjustable	S
Windows – power with express-down driver window	S
Luxury Package – includes 4-speed automatic transmission, heated front bucket seats with leather-appointed surfaces, universal home remote, leather-wrapped steering wheel, XM Satellite Radio, in-dash 6-disc CD changer with premium 7-speaker Monsoon sound system, oversized front, rear and cargo area floor mats, sunshades with illuminated vanity mirrors and cargo security shade	O

Mechanical

	H3
Brakes – electro-hydraulic power 4-wheel disc, 4-wheel anti-lock, 4-piston opposed front calliper / single-piston sliding rear calliper with Dynamic Rear Proportioning	S
Engine – Vortec 3.7L in-line 5-cylinder	S
Engine – Vortec 5.3L V8 (Alpha)	O
Engine – block heater	S
Frame – fully welded steel	S
Stability Control System – StabiliTrak electronic stability control system with hill start assist feature	S
Steering – power-assisted, rack-and-pinion, with tri-bushing mount design	S
Suspension, front – independent SLA torsion bars, 46 mm, monotube gas-charged shocks and 36 mm stabilizer bar	S
Suspension, rear – two-stage multi-leaf spring, solid live axle and 25 mm stabilizer bar	S
Traction Control System – brake-controlled, full-function, single-wheel control capability	S
Transfer case – 2.64:1 2-speed, electronically controlled, full-time 4WD	S
Transfer case – 4.03:1 2-speed, electronically controlled, full-time 4WD available with Off-Road Suspension Package	O
Transmission – 5-speed manual	S
Transmission – Hydra-Matic 4L60-E 4-speed automatic (standard on Luxury, Alpha and H3X)	O
Trailer Special Equipment Package – includes trailer hitch receiver and wiring harness (standard on all models except base H3)	O
Adventure Package – includes Off-Road Suspension Package, electronically controlled fully locking front and rear differential, specially tuned shock absorbers, 4.03:1 2-speed, full-time 4WD transfer case and 33-in. LT285/75R16 On/Off-road tires	O
Alpha Package – includes Vortec 5.3L V8 engine, 16" x 7.5" chrome aluminum thin-spoke wheels, Alpha exterior badging, Alpha horn pad and embroidered front seat head restraints (requires available 4-speed automatic transmission)	O

Safety & Security

	H3
Air bags – driver and front-passenger frontal, with Passenger Sensing System, includes side-impact head curtain with rollover sensor	S
Door locks – power	S
Keyless entry system – remote with Panic feature, includes 2 transmitters	S
OnStar In-Vehicle Communications and Assistance Service – includes 1 year of the Directions & Connections Plan with Turn-by-Turn Navigation (audible Turn-by-Turn Navigation availability impacted by some geographic/cellular limitations, advisor-assisted routing available)	S
Safety restraints – LATCH (Lower Anchors and Top Tethers for Children)	S
Theft-deterrent system – electronic immobilizer	S
Theft-deterrent system – vehicle content theft alarm	S
Traction control – electronic, with full-function single wheel control	S
Warranty – 4 year / 80,000 km, complete base warranty coverage (Whichever comes first, to correct any defects in materials or workmanship occurring during the warranty period. Regular maintenance is not included. Other restrictions, exclusions and limitations apply. See your dealer for complete details of the GM New Vehicle Limited Warranty.)	S
Warranty – 5 year / 160,000 km, powertrain component warranty with \$0 deductible (Whichever comes first. Conditions and limitations apply. See your dealer for details.)	S

Seats

	H3
Front – cloth reclining bucket seats with adjustable head restraints, power 8-way driver's seat adjuster with power lumbar control and map pockets on seatbacks	S
Rear – cloth 60/40 split-folding bench seat with integral outboard head restraints	S

Entertainment

	H3
AM/FM stereo with CD player, seek/scan, digital clock, auto tone control, speed-compensated volume, Radio Data System (RDS), TheftLock and 6-speaker system	S
AM/FM stereo with in-dash 6-disc CD changer, Radio Data System (RDS), and premium 7-speaker Monsoon sound system (standard on Luxury and H3X)	O
Bluetooth capable – utilizes vehicle audio system, microphone, voice recognition and controls with Bluetooth-enabled cell phones	S
Integrated DVD navigation system* – includes AM/FM stereo with CD player, full-feature autonomous DVD navigation with touch screen controls, separate CD and DVD slots, seek/scan, auto tone control, Radio Data System (RDS) and 7-speaker Monsoon sound system (*Detailed map coverage is available for most major urban areas of the United States and for certain metropolitan areas of Canada: Vancouver, Calgary, Edmonton, Winnipeg, Windsor, London, Toronto, Ottawa, Montreal, Quebec City and Halifax. Coverage is significantly limited outside these areas.)	O
XM Satellite Radio* – standard on Luxury and H3X (*includes three trial months beyond which service fees apply; available in 10 Canadian provinces and 48 contiguous United States)	O

Specifications

Engines	3.7L I-5 (LLR)	5.3L V-8 (LH8)
Type:	3.7L inline 5-cylinder	5.3L V8

Displacement (cc / cu. in.):	3651 / 223	5328 / 325
Bore & stroke (mm / in.):	95.5 x 102 / 3.8 x 4.0	96 x 92 / 3.78 x 3.62
Block material:	A356-T6 lost foam cast aluminum	Cast aluminum
Cylinder head material:	A356-T6 lost foam cast aluminum	Cast aluminum
Valvetrain:	Dual overhead camshafts, continuously variable exhaust valve timing, 4 valves-per-cylinder, with dual balance shafts	OHV, 2 valves per cylinder
Ignition system:	Distributorless electronic spark, coil-on-plug, platinum-tipped spark plugs	Coil near plug, composite intake manifold, platinum-tipped spark plugs, low-resistance spark plug wires
Fuel delivery:	Sequential fuel injection	Sequential fuel injection
Compression ratio:	10.0:1	9.9:1
Horsepower (hp / kW @ rpm):	239 / 178 @ 5800	300 / 224 @ 5200
Torque (lb.-ft. / Nm @ rpm):	241 / 327 @ 4600	320 / 434 @ 4000
Recommended fuel:	Regular unleaded	Regular unleaded
Maximum engine speed (rpm):	6300	6000
Emissions controls:	Dual "split converter" design; LEV II	Close-coupled catalytic converter, Quick Sync 58X ignition, returnless fuel rail, fast-response O ² sensor

Estimated Fuel Consumption**3.7L I-5 (LLR)****5.3L V-8 (LH8)**

Mi. / imp.gal. (city / hwy / combined):

auto.: 19 / 26 / 22
man.: 19 / 26 / 21

auto.: 17 / 22 / 19

L / 100 km (city / hwy / combined):

auto.: 14.7 / 11.0 / 13.0
man.: 15.0 / 10.9 / 13.2

auto.: 16.3 / 12.6 / 14.7

Transmissions**MA5****Hydra-Matic 4L60**

Type:	5-speed manual	4-speed electronically controlled automatic
Gear ratios (:1)		
First:	3.75	3.06
Second:	2.20	1.63
Third:	1.37	1.00
Fourth:	1.00	0.70
Reverse:	0.73	2.29
Final drive ratio:	4.56	4.56 (3.7L) 4.10 (5.3L)

Chassis & Suspension

Front:	Independent SLA torsion bar, 46-mm monotube gas-charged shocks, 36-mm tubular stabilizer bar
Rear:	"Hotchkiss" design multileaf, semi-elliptic dual-stage leaf spring, 46mm mono-tube gas-charged shocks, 25mm rear solid diameter stabilizer bar
Steering type:	Power-assisted rack-and-pinion, with tri-bushing mount design
Steering ratio:	17:1 (H3) 16:1 (H3T)
Steering wheel turns, lock-to-lock:	3.250 (H3) 3.125 (H3T)
Turning circle, curb-to-curb (m / ft.):	11.3 / 37.0 (H3) 13.3 / 43.8 (H3T)

Brakes

Type:	Electro-hydraulic power 4-wheel disc, 4-wheel anti-lock, four-piston opposed (fixed) front calliper/single piston sliding rear calliper with Dynamic Rear Proportioning
Rotor diameter x thickness (mm / in.):	front: 315 x 28 / 12.4 x 1.1 rear: 312 x 12 / 12.28 x 0.47
Total swept area (sq cm / sq. in.):	front: 448 / 69.4 rear: 328 / 51.0

Wheels & Tires

Wheel size and type:	16-inch x 7.5-inch aluminum 18-inch x 7.5-inch chrome
Tires:	std: P265/75R16 all terrain steel-belted radials

opt: LT285/75R16 on-/off-road radials (with ZM6 Off-Road Adventure package)
opt: P265/65R18 radials (with H3X)

Exterior Dimensions

Wheelbase (mm / in.):	2842 / 111.9
Overall length (mm / in.):	w/ spare and 33-inch tires: 4763 / 187.5
Overall width (mm / in.):	2161 / 85.1
Overall height (mm / in.):	1860 / 73.2
Track (mm / in.):	front: 1651 / 65.0 rear: 1664 / 65.5
Base Curb weight (kg / lb.):	2131 / 4698 (3.7L w/ auto.) 2199 / 4849 (5.3L)
Min. ground clearance (mm / in.):	w/ 33-inch tires: 266 / 10.5 w/ 32-inch tires: 246 / 9.7
Step-in height (mm / in.):	front: w/ 32-inch tires: 600 / 23.6 w/ 33-inch tires: 619 / 24.4 rear: w/ 32-inch tires: 615 / 24.2 w/ 33-inch tires: 636 / 25.0

Interior Dimensions

Head room (mm / in.):	front: 1014 / 39.9 (w/ sunroof) 1034 / 40.7 (w/o sunroof) rear: 1002 / 39.5 (w/ sunroof) 1011 / 39.8 (w/o sunroof)
Leg room (mm / in.):	front: 1063 / 41.9 rear: 916 / 36.1
Shoulder room (mm / in.):	front: 1381.3 / 54.4 rear: 1358 / 53.5
Hip room (mm / in.):	front: 1366 / 53.8 rear: 1221 / 48.1

Capacities

H3

Seating capacity:	5
Cargo volume (L / cu. ft.):	709 / 25.0 (rear seat up) 1780 / 62.9 (rear seat down)
GVWR, standard (kg / lb.):	2728 / 6001 (3.7L) 2728 / 6001 (5.3L)
Payload, base (kg / lb.):	595 / 1312 (3.7L) 527 / 1161 (5.3L)

Fuel

Engines	3.7L I-5 (LLR)	5.3L V-8 (LH8)
Mi. / imp.gal. (city / hwy / combined):	auto.: 19 / 26 / 22 man.: 19 / 26 / 21	auto.: 17 / 22 / 19
L / 100 km (city / hwy / combined):	auto.: 14.7 / 11.0 / 13.0 man.: 15.0 / 10.9 / 13.2	auto.: 16.3 / 12.6 / 14.7
Recommended fuel:	Regular unleaded	Regular unleaded
Fuel delivery	Sequential fuel injection	Sequential fuel injection

*MSRP - Manufacturer's Suggested Retail Price. Dealers are free to set individual prices. See **additional information** on vehicle pricing.

^ Available manufacturer to dealer delivery credit (tax exclusive). This credit is available to cash customers only and will impact the effective APR for lease and finance customers. Credits may vary by region. See your dealer for details.