

RUF Automobile

- [Imprint](#)
- Language: [German](#) [English](#)
-
-
- - [History](#)
 - [RUF CTR](#)
- - [RUF-Models](#)
 - [CTR 3](#)
 - [Dakara](#)
 - [Rt 12 S](#)
 - [RGT-8](#)
 - [RUF-Finishing](#)
 - [Service](#)
 - [Restoration](#)
 - [Pre-Owned Cars](#)
- - [News](#)
 - [eRUF](#)
 - [Jobs](#)
-
-
-

Search...



[Models](#)

- [CTR 3](#)
- [Dakara](#)
- [Rt 12 S](#)
- [RGT-8](#)

RUF Rt 12 S

The new dimension of driving excitement is called RUF Rt 12 S. This high performance automobile has both high-end driving performance and suitability for everyday use.

The refined bi-turbo Boxer engine generates 685 HP (504 kW) at a maximum torque of 649 lb.ft (880 Nm). The Integrated Roll Cage, developed by RUF, is standard with the S version.

The new RUF Rt 12 S adds visual highlights using the dynamic design of the rear and having separate LED supplementary lights for the parking light and blinker.

A carbon fiber rear spoiler with a trailing edge, air intakes and outside mirrors inspired by the RUF CTR 3 are harmoniously integrated in the wide rear fenders, to round off the picturesque features of the Rt 12 S.

The Rt 12 S is equipped with 19" forged lightweight wheels in the front and rear. The highest performance ceramic brake discs are used at each end. The suspension and the aerodynamics are adjusted to a maximum speed of 360 km/h (224 mph).

A height-adjustable front axle is available on request. Hydraulically controlled, it offers an additional clearance of 50 mm. Therefore, obstacles like underground car parks and higher road curbs can be overcome with ease.

The interior is designed for the well-known functionality of RUF. Strongly defined bucket seats or comfortable sport seats along with a maximum grip steering wheel offer the proper ergonomics for effortless driving. Applications in piano lacquer, aluminum or carbon fiber are available and offer individual design possibilities for the customer.

The RUF Rt 12 S is available in both rear-wheel drive or four-wheel drive.

PICTURES PICTURES



1
2
3: 5
4
5
6
7

SPECIFICATIONS SPECIFICATIONS

Power
504 kW (685 bhp)
at 7,000 rpm

max. Torque
880 Nm
at 4,000 rpm

Displacement
3.746 cm³

Performance
0 - 100 kph in 3,4 seconds
0 - 200 kph in 9,8 seconds

Top speed
360 kph

Fuel consumption:
urban (l) 19,7
non-urban (l) 9,8
combined (l) 13,4
CO₂ emissions (g/km) 310

ONLINE-SHOP ONLINE-SHOP

Our Online-Shop offers the possibility, to buy parts and accessories from RUF automobiles exclusively.

[Ersatzteile & Zubehör](#) [Merchandise](#)

Since 2006 we are a member of the "Verband der Automobilindustrie".



RUF Automobile GmbH - Mindelheimer Straße 21 - D-87772 Pfaffenhausen - Phone: +49 (0)82 65/911 911 - Fax: +49 (0)82 65/911 912 - info@ruf-automobile.de - [Home](#) - [AGB](#)